

**1. Identification**

**Product identifier** SuperU® Stabilized Nitrogen Fertilizer

**Other means of identification**

**Product code** KF\_SuperU\_CA\_EN

**Recommended use** Fertiliser.

**Recommended restrictions** Use in accordance with supplier's recommendations.

**Manufacturer/Importer/Supplier/Distributor information****Manufacturer**

**Company name** Koch Fertilizer, LLC  
4111 E 37th Street North  
PO Box 2219  
Wichita, KS, 67201-2219  
kochmsds@kochind.com  
1-316-828-7672

**Emergency** For Chemical Emergency  
Call CHEMTREC day or night  
1.800.424.9300  
Mexico - 1.800.681.9531  
Outside USA/Canada  
1.703.527.3887  
(collect calls accepted)

**2. Hazard identification**

**Physical hazards** Not classified.

**Health hazards** Not classified.

**Label elements**

**Hazard symbol** None.

**Signal word** None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement**

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

**Supplemental information** Not applicable.

**Other hazards** None known.

**3. Composition/information on ingredients****Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Urea		57-13-6	60 - 100
Non hazardous dye		Proprietary	< 3
Dicyandiamide		461-58-5	0.5 - 1.5
N-(n-butyl)-thiophosphoric triamide		94317-64-3	< 0.1
N-Methyl-2-pyrrolidone		872-50-4	< 0.1

**Composition comments** All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.  
This Safety Data Sheet is not a guarantee of product specification or NPK value(s). NPK content is on specified sales orders, customer invoices, or product specification sheets obtained from supplier.

## 4. First-aid measures

**Inhalation** Move to fresh air. Get medical attention if any discomfort continues.

**Skin contact** Wash contact areas with soap and water. Get medical attention if irritation develops and persists.

**Eye contact** Dust in the eyes: Do not rub eyes. Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention if irritation persists after washing.

**Ingestion** Rinse mouth thoroughly. Get medical attention if any discomfort continues.

**Most important symptoms/effects, acute and delayed** Eye contact: Symptoms can include irritation, redness, scratching of the cornea, and tearing.  
Skin contact: May cause mild skin irritation.  
Dust may irritate throat and respiratory system and cause coughing.

**Indication of immediate medical attention and special treatment needed** Treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

**Suitable extinguishing media** Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media** None known.

**Specific hazards arising from the chemical** Urea is non-combustible under most conditions. However, during a fire, irritating/toxic gases may be generated. The dust can be ignited at very high temperatures, but not expected to explode (minimum ignition temperature (cloud) = 900 deg C).

**Special protective equipment and precautions for firefighters** Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

**Fire fighting equipment/instructions** Move containers from fire area if you can do it without risk. Use water spray to prevent dust formation, absorb heat, keep containers cool and protect fire-exposed material.

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation. Avoid inhalation of dust and contact with skin and eyes. Wear suitable protective clothing. For personal protection, see section 8 of the SDS.

**Methods and materials for containment and cleaning up** Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas. Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. After removal flush contaminated area thoroughly with water.

Never return spills to original containers for re-use.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers or watercourses.

## 7. Handling and storage

**Precautions for safe handling** Avoid inhalation of dust and contact with skin and eyes. Use only with adequate ventilation. Observe good personal hygiene practices.

**Conditions for safe storage, including any incompatibilities** Store in a well-ventilated place. Store in a cool, dry place. Keep container tightly closed. Store away from incompatible materials. Long term storage at temperatures above 100°F (36°C) can adversely affect the efficacy of products containing N-(n-butyl)-thiophosphoric triamide.

## 8. Exposure controls/personal protection

### Occupational exposure limits

ACGIH Components	Type	Value	Form
Dust	TWA	10 mg/m3	Inhalable particles.

**US. ACGIH Threshold Limit Values**

Components	Type	Value	Form
Dust	TWA	3 mg/m <sup>3</sup>	Respirable particles.

**Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)**

Components	Type	Value	Form
Dust	TWA	3 mg/m <sup>3</sup>	Respirable particles.
		10 mg/m <sup>3</sup>	Total particulate.

**Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)**

Components	Type	Value	Form
Dust	TWA	3 mg/m <sup>3</sup>	Respirable fraction.
		10 mg/m <sup>3</sup>	Total dust.

**Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)**

Components	Type	Value	Form
Dust	TWA	3 mg/m <sup>3</sup>	Respirable particles.

**Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)**

Components	Type	Value	Form
Dust	TWA	3 mg/m <sup>3</sup>	Respirable fraction.
		10 mg/m <sup>3</sup>	Inhalable fraction.
N-Methyl-2-pyrrolidone (CAS 872-50-4)	TWA	400 mg/m <sup>3</sup>	

**Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)**

Components	Type	Value	Form
Dust	TWA	10 mg/m <sup>3</sup>	Total dust.

**Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)**

Components	Type	Value	Form
Dust	15 minute	6 mg/m <sup>3</sup>	Respirable fraction.
		20 mg/m <sup>3</sup>	Inhalable fraction.
	8 hour	3 mg/m <sup>3</sup>	Respirable fraction.
		10 mg/m <sup>3</sup>	Inhalable fraction.

**Biological limit values****ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
N-Methyl-2-pyrrolidone (CAS 872-50-4)	100 mg/l	5-Hydroxy-N-methyl-2-pyrrolidone	Urine	*

\* - For sampling details, please see the source document.

**Appropriate engineering controls**

Provide adequate general and local exhaust ventilation. Observe occupational exposure limits and minimise the risk of inhalation of dust.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Risk of contact: Wear dust goggles.

**Skin protection****Hand protection**

Risk of contact: Wear protective gloves. Suitable gloves can be recommended by the glove supplier.

**Other**

No skin protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid skin contact.

<b>Respiratory protection</b>	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Wear air supplied respiratory protection if exposure concentrations are unknown. In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment with particle filter.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>General hygiene considerations</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Handle in accordance with good industrial hygiene and safety practices.

## 9. Physical and chemical properties

<b>Appearance</b>	Blue. Granules.
<b>Physical state</b>	Solid.
<b>Form</b>	Granules.
<b>Colour</b>	Blue.
<b>Odour</b>	Slight sulfurous
<b>Odour threshold</b>	Not available.
<b>pH</b>	7.2 (10% in water)
<b>Melting point/freezing point</b>	135 °C (275 °F) Decomposes
<b>Initial boiling point and boiling range</b>	Not applicable.
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	Not applicable.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Explosive limit - lower (%)</b>	Not applicable.
<b>Explosive limit – upper (%)</b>	Not applicable.
<b>Vapour pressure</b>	Not applicable.
<b>Vapour density</b>	Not applicable.
<b>Relative density</b>	1.32
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Soluble.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>Density</b>	47 lb/ft <sup>3</sup>
<b>Explosive properties</b>	Not explosive.
<b>Oxidising properties</b>	Not oxidising.

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Stable under normal temperature conditions.
<b>Possibility of hazardous reactions</b>	Hazardous polymerisation does not occur.
<b>Conditions to avoid</b>	Extreme temperatures.
<b>Incompatible materials</b>	Acids. Strong reducing agents. Strong oxidising agents.
<b>Hazardous decomposition products</b>	During combustion: Carbon oxides. Nitrogen oxides. Sulphur oxides.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	High concentrations of dust may irritate throat and respiratory system and cause coughing.
<b>Skin contact</b>	Dust may irritate skin.
<b>Eye contact</b>	Dust may irritate the eyes.
<b>Ingestion</b>	May cause discomfort if swallowed.

<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Eye contact: Symptoms can include irritation, redness, scratching of the cornea, and tearing. Skin contact: May cause mild skin irritation. Dust may irritate throat and respiratory system and cause coughing.
---	---

### Information on toxicological effects

<b>Acute toxicity</b>	May cause discomfort if swallowed.
-----------------------	------------------------------------

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
-------------------	----------------	---------------------

Dicyandiamide (CAS 461-58-5)

#### **Acute**

##### **Dermal**

LD50 New Zealand white rabbit > 2000 mg/kg, 24 hours

##### **Inhalation**

LC50 Wistar rat > 259 mg/m<sup>3</sup>, 4 hours

##### **Oral**

LD50 Wistar rat > 10000 mg/kg  
> 7000 mg/kg

N-(n-butyl)-thiophosphoric triamide (CAS 94317-64-3)

#### **Acute**

##### **Dermal**

LD50 Rabbit > 2000 mg/kg

##### **Inhalation**

LC50 Wistar rat > 2.1 mg/l, 4 hours

##### **Oral**

LD50 Wistar rat > 2000 mg/kg

N-Methyl-2-pyrrolidone (CAS 872-50-4)

#### **Acute**

##### **Dermal**

LD50 Rat > 5000 mg/kg

##### **Inhalation**

*Mist*

LC50 Rat > 5.1 mg/l, 4 hours

##### **Oral**

LD50 Rat 3605 mg/kg

Urea (CAS 57-13-6)

#### **Acute**

##### **Oral**

LD50 Rat 14300 mg/kg

**Skin corrosion/irritation** May cause irritation through mechanical abrasion.

**Serious eye damage/eye irritation** May cause irritation through mechanical abrasion.

### **Respiratory or skin sensitisation**

**Respiratory sensitisation** Not a respiratory sensitiser.

**Skin sensitisation** Not a skin sensitiser.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

<b>Carcinogenicity</b>	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.
<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not an aspiration hazard.
<b>Chronic effects</b>	Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.
<b>Further information</b>	No other specific acute or chronic health impact noted.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
Dicyandiamide (CAS 461-58-5)		
<b>Aquatic</b>		
<i>Acute</i>		
Algae	EC50	Selenastrum capricornutum 2.04 g/l, 4 days
Crustacea	EC50	Daphnia magna > 3177 mg/l, 48 hours
Fish	LC50	Lepomis macrochirus > 1000 mg/l, 96 hours
		Oncorhynchus mykiss 7700 ppm, 96 hours
<i>Chronic</i>		
Crustacea	LC50	Daphnia magna > 100 mg/l, 21 days
Fish	LC50	Oryzias latipes > 100 mg/l, 14 days
N-(n-butyl)-thiophosphoric triamide (CAS 94317-64-3)		
<b>Aquatic</b>		
Algae	EC50	Selenastrum capricornutum 280 mg/l, 96 hours
Crustacea	EC50	Daphnia magna 290 mg/l, 48 hours
	LC50	Daphnia 350 mg/l, 48 hours
Fish	LC50	Lepomis macrochirus 1140 mg/l, 96 hours
N-Methyl-2-pyrrolidone (CAS 872-50-4)		
<b>Aquatic</b>		
<i>Acute</i>		
Algae	EC50	Scenedesmus subspicatus > 500 mg/l, 72 Hours
Crustacea	EC50	Daphnia magna > 1000 mg/l, 24 Hours
Fish	LC50	Oncorhynchus mykiss > 500 mg/l, 96 Hours
<i>Chronic</i>		
Crustacea	NOEC	Daphnia magna 12.5 mg/l, 21 days
Urea (CAS 57-13-6)		
<b>Aquatic</b>		
Algae	EC10	Algae 47 mg/l, 192 hours
Fish	LC50	Leuciscus idus > 6810 mg/l, 96 hours
<i>Acute</i>		
Crustacea	LC50	Water flea (Daphnia magna) > 10000 mg/l, 24 hours
<b>Persistence and degradability</b>	No data available.	
<b>Bioaccumulative potential</b>	Not available.	
<b>Partition coefficient n-octanol / water (log Kow)</b>		
Dicyandiamide (CAS 461-58-5)		-1.15
N-Methyl-2-pyrrolidone (CAS 872-50-4)		-0.54
Urea (CAS 57-13-6)		-2.11

<b>Mobility in soil</b>	This product is water soluble and may disperse in soil.
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

<b>Disposal instructions</b>	Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### 14. Transport information

<b>TDG</b>	Not regulated as dangerous goods.
<b>IATA</b>	Not regulated as dangerous goods.
<b>IMDG</b>	Not regulated as dangerous goods.
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable.

### 15. Regulatory information

<b>Canadian regulations</b>	This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.
-----------------------------	--

#### Controlled Drugs and Substances Act

Not regulated.

#### Export Control List (CEPA 1999, Schedule 3)

Not listed.

#### Greenhouse Gases

Not listed.

#### Precursor Control Regulations

Not regulated.

#### International regulations

##### Stockholm Convention

Not applicable.

##### Rotterdam Convention

Not applicable.

##### Kyoto Protocol

Not applicable.

##### Montreal Protocol

Not applicable.

##### Basel Convention

Dicyandiamide (CAS 461-58-5)

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)  
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information

**Issue date** 10-August-2021  
**Revision date** -  
**Version No.** 01

### List of abbreviations

LC50: Lethal Concentration, 50%.  
LD50: Lethal Dose, 50%.

### References

IARC: International Agency for Research on Cancer.  
National Toxicology Program (NTP) Report on Carcinogens

### Disclaimer

NOTICE: The information contained in this document is based on data considered to be accurate as of the preparation date of this Safety Data Sheet (SDS) and was prepared pursuant to applicable Government regulation(s). This SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the above data and safety information, nor is any authorization given or implied to practice any patented invention without a license. Additional information may be needed to evaluate other uses of the product, including use of the product in combination with any materials or in any processes other than those specifically referenced. Information provided about any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. Purchasers and users of the product are responsible for determining that this product is suitable for the intended use and application. No responsibility can be assumed by vendor for any damage or injury resulting from failure to adhere to recommended uses, or from any hazards inherent to the product. Purchasers and users assume all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Purchasers and users of the product should explicitly advise their employees, agents, contractors and customers who will use the product of this SDS.